

Jamboree[®] SPORT

CLASS C



LODEN



ANTELOPE

FLEETWOOD
Driven to Explore

INTERIOR DECORS

Loden

LIVING/DINING ROOM



Dinette Cushions

BEDROOM



Bedspreads



Sofa



Headboard

Antelope

LIVING/DINING ROOM



Dinette Cushions


BEDROOM



Bedspreads



Sofa



Headboard

Wood Finishes

Windsor Birch




Plantation Cherry




FLOOR PLANS

25G Single Slide-Out




OPT. 827 WRAPAROUND BOOTH DINETTE



OPT. 026 17' AWNING

Interior Storage Capacity: 84 cu. ft.
Exterior Storage Capacity: 34 cu. ft.

26Q




LARGE EXTERIOR STORAGE BAY


OPT. 026 18' AWNING

Interior Storage Capacity: 57 cu. ft.
Exterior Storage Capacity: 104 cu. ft.

29V




OPT. 863
DOUBLE BUNK BEDS



OPT. 026 20' AWNING

Interior Storage Capacity: 85 cu. ft.
Exterior Storage Capacity: 66 cu. ft.

31W Single Slide-Out



OPT. 026 16' AWNING

Interior Storage Capacity: 101 cu. ft.
Exterior Storage Capacity: 71 cu. ft.

STANDARD FEATURES

INTERIOR

INTERIOR THROUGHOUT

- Complete TuffPEX Plumbing System
- 12V Water Pump, Demand Operation
- 13,000 BTU Conventional Air Conditioner (25G)
- 13,500 BTU Ducted Air Conditioner (26Q)
- 15,000 BTU Ducted Air Conditioner (29V, 31W)
- 30,000 BTU Furnace, Auto Ignition, Ducted, Wall Mounted Thermostat
- 6 Gallon Water Heater, Electronic Ignition, Propane
- Hardwood Overhead Cabinet Doors w/Raised Panel
- Auxiliary Battery, Disconnect Switch on Monitor Panel
- Carpet & Vinyl Flooring in Galley, Lavy & Entry
- Deluxe Roller Bearing, Full Extension Drawer Guides & Transit-Ship Locks
- Water Pump w/On/Off Switches at Galley & Lavy
- Quality Constructed Furniture by Flexsteel®
- Water Heater Bypass Valve Fresh Water System Winterization
- Mortise & Tenon Hardwood Cabinet Doors
- Monitor Panel: Auxiliary & Chassis Battery Condition Check, Holding Tank Levels, Fresh Water Tank Level, Propane Tank Level, All Level Readings in 1/4 Increments, Direct Spark Ignition Water Heater Switch w/Lighted Indicator, Water Pump Switch w/On Indicator Light, Battery Disconnect Switch, Generator Start/Stop Switch & Hour Meter
- GFI Circuit Protection in Galley, Lavy, Patio Receptacles
- AC/DC Load Center w/12V Converter/Battery Charger

DRIVER CONVENIENCE

- 3 Point Seat Belts at Driver & Front Passenger Seats
- 4 Speakers, (2 in Cab Doors, 2 Ceiling Mounted)
- In-Dash AM/FM/Radio w/CD Player
- Power Windows & Door Locks
- 54" X 76" Cabover Bed with Privacy Curtain, Roof Vent & Sliding Side Windows
- Cabover Bunk Ladder (Supplied w/Cabover Bunk Arrangement)
- Adjustable/Reclining Bucket Seats w/Armrest (Ford®)
- Driver/Front Passenger Airbag Supplemental Restraint System

LIVING ROOM

- 2 Cup Holders in Dinette
- Ceiling Lights w/Wall Switches (Entry & Bath)
- Pleated Shades
- Dinette, Convertible for Sleeping
- Sofabed for Sleeping (29V, 31W)

- Swivel Base Lounge Chair w/Dual Lock Position (26Q)

GALLEY

- 3 Burner Range w/High Output/Piezo Ignitor & Oven
- Laminate Backsplash
- Dometic® 6 cu.ft. Refrigerator/Freezer
- Drawer Boxes w/Real Wood Construction
- Microwave Oven w/Electronic Touch Pad
- Raised Panel Refrigerator Inserts
- Rangehood w/Light & Fan
- Residential Size Double Bowl Sink
- Residential Style Single Lever Faucet

BEDROOM

- Bedspread w/Reverse Pillow Sham
- Pleated Shades
- Roof Vent (Select Models)
- Wall Space for TV w/AC Receptacle & Cable Jack
- Decorative Reading Lights
- Innerspring Mattress
- Queen Bed

BATHROOM

- Bath Door w/Residential Passage Lock and Towel Bars
- China Bowl Toilet w/Hand Sprayer
- Medicine Cabinet w/Wood Construction
- Shower Head w/Flexible Hose Extension
- Skylight/Roof Vent w/12V Fan
- Wall Mounted Mirror
- Molded ABS Shower/Tub Surround/Pan
- Residential Style Faucet w/Large Sink
- Shower Curtain

SAFETY/CONVENIENCE

- 10 ABC Fire Extinguisher
- Carbon Monoxide Detector/Alarm
- Exterior & Interior Entry Assist Handle
- Propane Detector/Alarm
- Smoke Detector/Alarm

EXTERIOR

EXTERIOR THROUGHOUT

- City Water Hook-Up
- High Gloss Tuff-Coat® Smooth Fiberglass Exterior
- Outstanding Exterior Graphics and Styling
- Large 1" (Inside Diameter) Water Tank Drain
- Sewer Hose Compartment Located Near Holding Tank Dump Valves
- EZ Glide® Slide-Out Room (Select Models)
- Debris Awning w/All Slide-Out Rooms

AUTOMOTIVE

- Ford® E450 Chassis, 6.8L Triton® V10 w/305 HP, Dual Airbags, 4W Anti Lock Brakes, Automatic 5 Speed Transmission w/Overdrive
- Chevy® Express/Workhorse™ Chassis, 6.0L Vortec™ V8 w/300 HP, Dual Airbags, 4W Anti-Lock Brakes, Automatic 4 Speed Transmission w/Overdrive
- Trailer Hitch w/7 Pin Electrical Hook-Up
- Auxiliary Emergency Start Assist Switch on Dash
- Chassis Supplied: Heating & Air Conditioning, Cigarette Lighter/12V Power Supply, Intermittent Windshield Wipers, Power Steering w/Tilt Wheel, Cruise Control, Sunvisors (2), Dome Light, Beverage Cup Holders, Map Pocket
- AC/DC Load Center w/12V Converter/Battery Charger
- Deluxe Wheel Covers
- 12V Auxiliary Battery

SAFETY/CONVENIENCE

- 30 Amp, 30' Long Shore Line Power Cord, Compartment Storage
- AC Duplex GFI Receptacle on Patio Side
- Amber Porch Light w/Interior Switch
- Breakaway Side Mirrors
- Entry Door w/Screen Door & Deadbolt Lock
- High Mounted Large Taillights
- Radius Tinted Windows

STORAGE

- Insulated Locking Luggage Doors w/Thumb Latch
- Large, Multi Door Storage Bay Compartment Access w/Smaller Storage Wells for Convenient Cargo Organization

BODY STRUCTURE

- One-Piece Molded Fiberglass Front End Cap
- Vacu-bond® Hull Lamination Process
- Vacu-bond® Floor
- Royal Tuff-Ply Radius Roof w/Ducted A/C
- Sidewalls Framed w/1 1/2" Aluminum Tubing
- Corrosion Resistant Aluminum Tube Hull Framing
- Molded Rear Wheel Trim Flares
- Steel Powder Coated Rear Bumper
- Powder Coated, Steel Running Boards
- 26" Wide Radius Corner Entry Door w/Window

OPTIONS

INTERIOR THROUGHOUT

- LCD Back-up Monitor with One Way Radio
- Vinyl Flooring Throughout

LIVING ROOM

- 19" LCD Widescreen Color TV w/Remote & DVD Player

GALLEY

- Whole Coach Water Filtration System
- Power Roof Fan-Tastic® Vent Fan

BEDROOM

- Double Bunk Beds w/Cushions (29V)

BATHROOM

- Glass Shower Door Enclosure (Select Models)

EXTERIOR THROUGHOUT

- Dual Pane Windows
- Onan® 4.0kW Microquiet Generator
- Patio Awning
- Full Size Spare Tire w/Carrier (Select Models)
- Full Size Tire (Select Models)
- Holding Tank Heater (Select Models)
- Rear Ladder
- Wash Unit w/Dual Control Faucet, Flexible Shower Hose (Select Models)

AUTOMOTIVE

- Dual 6V Deep Cycle Auxiliary Batteries w/Slide Tray
- Stainless Steel Wheel Liners

SAFETY/CONVENIENCE

- Power Electric Step
- Breakaway Side Mirrors w/Power Adjust and Heat Control

FLEETWOOD ADVANTAGES

- One-Piece Molded Fiberglass Front End Cap
- 19" LCD Widescreen Color TV w/Remote & DVD Player
- Vacu-bond® Walls w/Smooth High Gloss Exterior Tuff-Coat® Fiberglass
- Mortise & Tenon Hardwood Cabinet Doors
- Up to 5,000lbs Towing Capacity †

WEIGHTS & MEASUREMENTS

WEIGHTS

MODELS	25G	26Q	29V	31W
Chassis	Ford® E450/ Chevy Workhorse™	Ford® E450/ Chevy Workhorse™	Ford® E450/ Chevy Workhorse™	Ford® E450/ Chevy Workhorse™
Engine Displacement (Liters)	6.8/6.0	6.8/6.0	6.8/6.0	6.8/6.0
Wheelbase (Inches)	176"/177"	176"/177"	198"/199"	214"/215"
GVWR (lbs) [†]	14,050/14,050	14,050/14,050	14,050/14,050	14,050/14,050
Front GAWR (lbs) [‡]	4,600/4,600	4,600/4,600	4,600/4,600	4,600/4,600
Rear GAWR (lbs) [‡]	9,450/9,450	9,450/9,450	9,450/9,450	9,450/9,450
Base Weight (lbs) [‡]	10,750/10,600	10,802/10,650	10,950/10,800	12,050/11,900
GCWR (lbs) [‡]	19,050/17,550	19,050/17,550	19,050/17,550	19,050/17,550
Hitch Rating Weight (lbs) [†]	5,000/3,500	5,000/3,500	5,000/3,500	3,500/3,500
Tongue Weight (lbs) [†]	500/350	500/350	500/350	350/350

DIMENSIONS & CAPACITIES

MODELS	25G	26Q	29V	31W
Overall Length ⁵	25'11"/26'10"	27'1"/28'0"	30'1"/31'0"	31'4"/32'3"
Overall Height (with A/C)	11'4"	11'4"	11'4"	11'4"
Overall Width (maximum) ^{6, 7}	102"	102"	102"	102"
Interior Height (maximum)	82"	82"	82"	82"
Interior Width (maximum)	96"	96"	96"	96"
Fuel Capacity (gal)	55/55	55/55	55/55	55/55
Fresh Water Holding Tank (gal)	30	30	30	30
Grey Water Holding Tank (gal)	37	32	37	37
Black Water Holding Tank (gal)	37	38	37	37
Appliance Propane Tank (gal) (WC) ⁸	14	14	14	14
Water Heater Tank (gal)	6	6	6	6

Liquid Weight Reference: Water (gal) = (8.3 lbs/3.8kgs) Fuel (gal) = 7.1 lbs/3.2 kgs) Propane (gal) = (4.2 lbs/1.9 kgs)

Metric Conversion: Multiply pounds x 0.453 to obtain kilograms. Multiply gallons x 3.785 to obtain liters. Multiply liters x 61 to obtain cubic inches.

- GVWR (Gross Vehicle Weight Rating) is the maximum permissible weight of this fully loaded motor home. The GVWR is equal to or greater than the sum of the (UVW) unloaded vehicle weight plus the (CCC) cargo carrying capacity*.
- GAWR (Gross Axle Weight Rating) is the maximum permissible loaded weight a specific axle is designed to carry.
- Base Weight is the estimated weight of the motor home without fuel, options, water, cargo or passengers.
- GCWR (Gross Combined Weight Rating) is the value specified by the motor home manufacturer as the maximum allowable loaded weight of this motor home with its towed vehicle. Towing and braking capacities may be different. Refer to Fleetwood and chassis manufacturer's manuals for complete information.
- Length taken from front bumper to rear bumper (excludes accessories).
- Excludes safety equipment and awnings.
- Motor homes feature a body-width over 96" which will restrict your access to certain roads. Before purchasing, you should research any state and/or province road laws which may affect your usage.
- Tank manufacturer's listed water capacity (WC). Actual propane capacity is 80% of water listing as required by the safety code.

† The chassis manufacturer recommends the installation of a supplemental brake control system to activate the brakes on the vehicle or trailer you are towing. Hitch receiver ratings expressed are maximum for the hitch receiver installed and may require the purchase of additional equipment that is dependent on the weight of the towed load. Consult with hitch receiver manufacturer for further information.

N/A = not available at time of printing.

* UVW and CCC are found on the cargo carrying capacity label in each RV.

IMPORTANT — PLEASE READ: Product information, photography and illustrations included in this publication were as accurate as possible at the time of printing. For further product information and changes, please visit our website at www.fleetwoodrv.com or contact your local Fleetwood dealer. Prices, materials, design and specifications are subject to change without notice. All weights, fuel, liquid capacities and dimensions are approximate. Fleetwood has designed its recreational vehicles to provide a variety of uses for its customers. Each vehicle features optimal seating, sleeping, storage and fluid capacities. The user is responsible for selecting the proper combination of loads (i.e. occupants, equipment, fluids, cargo, etc.) to ensure that the vehicle's capacities are not exceeded.